

INDEX MAPS.

T. 14 N. R. 14 E. 2nd Mer.

466	466	467				
467 6	472 5	4	3	2	1	
472	472					
467 7	471 8	9	10	11	12	
471	473					
468 18	471 17	16	15	14	13	
470	473					
468 19	470 20	21	22	23	24	
470	473					
468 30	470 29	28	27	26	25	
469	473					
469 31	469 32	33	34	35	36	
466						

T. 15 N. R. 14 E. 2nd Mer.

477	477	477	478			
480 6	484 5	489 4	490 3	2	1	
484	489	490	490			
479 7	484 8	489 9	491 10	11	12	
483	486	488				
479 18	483 17	487 16	15	14	13	
482	487	487				
479 19	482 20	486 21	22	23	24	
482	486	486				
478 30	481 29	486 28	27	26	25	
481	486	485				
478 31	481 32	484 33	34	35	36	
476	476	476				

The figures on the lines refer to the page.

Township N. 15 North, Range N. 14 E. 2nd Mer. Indiana ⁴⁷⁶
Ch. 1/4.

South Boundary.

var. 5° 45' E

East On S. boundary of Sec. 31

0.50 a Brook 4 lks. wide Course S. E.
18.00 a Do. 10 " " " S. E.
30.00 a Do. 10 " " " N. E.

31.30 a Poplar 24 in. diam.

36.50 a Brook 10 lks. wide Course S. E

37.50 a Do. 15 " " " South

40.00 Set q^r. Sec. post, from which

a Beech 16 in. diam. bear N 54 E 9 lks. dist. of
a Sugar 14 " " " S 70 W 19 " "

70.00 an Indian road

80.00 Set post Cor. to Sec. 31 of 32, from which

a Beech 20 in. diam. bear S 32 W 11 lks. dist. of
a Do. 16 " " " N 32 E 19 " "

First 1/2 good Beech land - last 1/2 poor Do.

East On S. boundary of Sec. 32

8.00 a Spring Course S.

17.00 a Brook 3 lks. wide Course S.

19.14 a Poplar 48 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 18 in. diam. bear N 10 E. 10 lks. dist. of
a Sugar 14 " " " N 35 W 31 " "

47.50 a Brook 10 lks. wide Course S.

75.00 a Creek (E. fork of White Water) 150 lks. wide C. S.

80.00 Set post Cor. to Sec. 32 of 33, from which

a Cottonwood 16 in. diam. bear N 33 W 13 lks. dist. of
a Hackberry 16 " " " N 88 E 66 " "

Land good timber Oak, Ash, Sugar &c.

East On S. boundary of Sec. 33

7.68 a Buckeye 12 in. diam. Stand for post on the

Old Indian Boundary line, from which

a Hackberry 30 in. diam. bear S 75 W 9 lks. dist. of

a Buckeye 16 " " " N 23 E 26 " "

477

T15 N - R14 E. 2^d Mer. Indiana

ch. lks.

The old Indian boundary appears to run
N13° E. Oct. 20th 1810

North Boundary. var. 5.45' E

East On S. boundary of Sec. 31, T16 N. R14 E.

30.00 a Brook 3 lks. wide Course N.W.

40.00 Let q^r. Sec. post, from which
a Beech 6 mi. diam. bearing S20° E 6 lks. dist. of
a Do. 14 " " " N28° W 34 " "

Land good, timber Beech &c.

43.00 a Brook 3 lks. wide Course N.W.

49.30 a Sugar 12 mi. diam.

80.00 Let post Cor. to Sec. 31 of 32, from which
a Beech 20 mi. diam. bearing N64° W 18 lks. dist. of
a Sugar 12 " " " N35° E 23 " "
Good level Beech timbered land

East On S. boundary of Sec. 32, T16 N. R14 E.

40.00 Let q^r. Sec. post, from which
a Sugar 14 mi. diam. bearing N70° W 17 lks. dist. of
a Beech 18 " " " S30° E 12 " "

Land good timbered with Beech

60.00 a Brook 3 lks. wide Course N.E.

70.00 a Do 6 " " " S.E.

80.00 Let post Cor. to Sec. 32 of 33, from which
a Hickory 22 mi. diam. diam. N71° W 15 lks. dist. of
a Beech 15 " " " S50° E 16 " "
Poor hilly land, timber Beech, Oak &c.

East On S. boundary of Sec. 33, T16 N. R14 E.

8.00 a Brook 4 lks. wide Course S.E.

40.00 Let q^r. Sec. post, from which
a Beech 14 mi. diam. bearing N28° W 19 lks. dist. of
a Do. 7 " " " S41° E 30 " "

47.00 a Brook 10 lks. wide Course S.E.

80.00 Let post Cor. to Sec. 33 of 34 from which

T15N R14E. 2^d. Mer. Indiana 2178
Ch. P. 16th.

a W. Oak 18 in. diam. beam S76 E 24 lks. dist. of
a do. 18 " " " N72 W 34 " "
Poor hills, timber Beech, Oak &c.

East On S. boundary of Sec. 34, T16N. R14E.
20.00 a Brook 5 lks. wide Course S. E.
21.60 Intersected the Boundary line, at post from which
a W. Oak 18 in. diam. beam S40 W 13 lks. dist. of
a do 10 " " " S82 E 28 " "
Sand hilly, timber Beech, Oak &c.

West Boundary ran. S. 45. E.
October 24th. 1818

North On E. boundary of Sec. 36, T15N. R13E.
0.50 a Brook 3 lks. wide Course E.
12.00 a do 8 " " " E.
25.00 a do 3 " " " E.
40.00 Set of Sec. post, from which
a Beech 15 in. diam. beam S40 W 9 lks. dist. of
a do. 15 " " " N52 E 26 " "
45.00 a Brook 3 lks. wide Course E.
52.70 a Poplar 80 in
72.00 a Brook 5 lks. wide Course S. E.
80.00 Set post Cor. to Sect. 25 of 36, from which
a Beech 18 in. diam. beam N79 E 14 lks. dist. of
a do. 4 " " " S50 W 14 " "
Pretty good Beech land with some Sugar

North On E. boundary of Sec. 25, T15N. R13E.
2.00 a Brook 3 lks. wide Course E.
34.00 a do. 3 " " " E.
40.00 Set of Sec. post, from which
a Beech 20 in. diam. beam N19 W 8 lks. dist. of
a do. 30 " " " S20 W 16 " "
58.20 a Poplar 5 " "
80.00 Set post Cor. to Sect. 24 of 25, from which

ch. lks. T15 N - R14 E. 2nd Mer. Indiana

a Beech 12 in. diam. bear N7 E 12 lks. dist. of
a Sugar 10 " " " S46 N 19 " "
Land good timber Beech, Sugar &c.

North On E. boundary of Sec. 24, T15 N, R13 E.

15.00 a Brook 3 lks. wide Course W.

37.00 a do. 3 " " " W.

40.00 Set q. Sec. post, from which
a Beech 8 in. diam. bear S25 E 14 lks. dist. of
an Ash 12 " " " N25 E 26 " "

59.50 a Poplar 50 in. "

78.00 at Brook 6 lks. wide Course W.

80.00 Set post Cor. to Sec. 13 of 24, from which
a Beech 6 in. diam. bear N79 E 11 lks. dist. of
a do. 16 " " " N65 W 15 " "
Level rich land timber Beech, Sugar, Ash &c.
Oct. 25th 1810

North On E. boundary of Sec. 13, T15 N, R13 E.

9.00 a Brook 3 lks. wide Course W.

14.00 a do. 3 " " " W.

24.00 a do. 5 " " " W.

40.00 Set q. Sec. post, from which
a Beech 24 in. diam. bear S40 W 24 lks. dist. of
a do. 24 " " " N40 E 22 " "

55.31 a Sugar 18 " "

60.00 a Brook 3 lks. wide Course W.

71.00 a do. 6 " " " W.

73.00 a do. 4 " " " W.

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 10 in. diam. bear S54 W 32 lks. dist. of
a Sugar 20 " " " N66 E 22 " "
Good rich land, timber Beech, Sugar, Ash, Poplar &c.

North On E. boundary of Sec. 12, T15 N, R13 E

21.50 a Brook 3 lks. wide Course W.

480

T15 N. R14 E. 2nd Mer. Indiana

ch. 1/2

- 25.00 a Brook 3 lks. wide Course W.
 40.00 Set of Sec. post, from which
 at Beech 12 in. diam. bear N 8 E 16 lks. dist. of
 a do. 8 " " " S 36 E 24 " "
 46.00 a Brook 4 lks. wide Course W.
 65.24 a Beech 30 in. diam.
 74.00 a Brook 8 lks. wide Course W.
 80.00 Set post Cor. to Sec. 1 of 12, from which
 at Beech 30 in. diam. bear S 60 W 9 lks. dist. of
 a do. 5 " " " N 28 W 15 " "
 Rich level land, timber Beech, Sugar, Ash &c

North On E. boundary of Sec. 1, T15 N. R13 E.

- 9.00 a Brook 3 lks. wide Course W.
 25.00 an Ash 14 in. diam.
 37.00 a road —
 40.00 Set of Sec. post, from which
 at Beech 16 in. diam. bear S 7 W 9 lks. dist. of
 a do. 18 " " " N 13 E 28 " "
 52.00 a Brook 8 lks. wide Course W.
 80.00 Set post Cor. to Township 15 of 16 North, of
 Range 14 of 13 East, from which
 a Beech 10 in. diam. bear South 27 lks. dist. of
 a do. 10 " " " N 18 W 21 " "
 Good Beech land

Surveyed by
 Alexander Holmes
 Deputy Surveyor

Subdivision.

Beginning at the South West Corner of Town 15
 North, Range 14 East. March 22^d 1811

East on the Township line

- 40.00 quarter section post
 80.00 section post, corner of Sec. 31 of 32 — Thence

T15 N R14 E. 2nd. Mer. Indiana

ch. 2. Mer.

North Between Secs. 31 & 32, T15 N. R14 E

20.12 a Hickory 20 in. diam.

40.00 Set of. Sec. post, from which

a Sugar tree 6 in. diam. bear N63°W10 lbs. dist. of

a Do. 7 " " " " " " " " " " " "

52.25 a Spring branch Course East

60.00 a Sugar tree 10 in. diam.

63.00 a Spring branch Course East

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which

a Cherry 6 in. diam. bear S6 E 10 lbs. dist. of

a Beech 18 " " " " " " " " " " " "

Land some uneven good farming land, timber
Beech, Ash, Hickory & Sugar treeWest On Rand^m. between Secs. 30 & 31

40.00 Set temp. of. Sec. post

57.00 a Stream 6 lbs. wide Course S.

70.15 a Do. 5 " " " " " " " " " " " "

80.06 Intersected the W. boundary 6 lbs. N. of post
Some uneven, Good farming land, timber Beech,
Ash, Oak, Poplar & Sugar tree

East Connected between Secs. 30 & 31

40.03 Set of. Sec. post at average dist. from which

a Beech 11 in. diam. bear S55 E 5 lbs. dist. of

a Do. 9 " " " " " " " " " " " "

80.06 to Sec. Corner March 22^d. 1811

North Between Secs. 29 & 30

3.40 a Stream 6 lbs. wide Course S30 E

14.70 a Beech 13 in. diam.

40.00 Set of. Sec. post, from which

a Beech 12 in. diam. bear N54 E 2 lbs. dist. of

a Poplar 15 " " " " " " " " " " " "

53.25 a Spring branch S. E.

71.12 a Beech 14 in. diam.

T15 N. R14 E. 2nd. Mer. IndianaCh. P. 6th.

80.00 Set post Corner to Sec. 19, 20, 29 & 30, from which
 a Sugar tree 9 in. diam. bears N 67° W 26 lbs. dist. of
 a Beech 18 " " " N 68° E 18 " "
 Land timber &c. Same as on the last mile

West On Rand^m. between Sec. 19 & 30, T15 N. R14 E.40.00 Set temp^y. of Sec. post

80.00 Intersected W. boundary 14 lbs. N. of the post
 Land timber &c. Same as on the last mile

East Corrected between Sec. 19 & 30

40.00 Set of Sec. post at average dist. from which
 a Beech 13 in. diam. bears N 47° W 29 lbs. dist. of
 a Ho. 6 " " " N 48° E 8 " "

55.00 a Sugar tree 20 in. diam.

80.00 to Sec. Corner.

North Between Sec. 19 & 20

13.00 a Spring branch Course S 70° E.

18.80 a Sugar tree 16 in. diam.

40.00 Set of Sec. post, from which
 a Beech 6 in. diam. bears N 6° E 9 lbs. dist. of
 a Ho. 6 " " " S 7° E 8 " "

47.10 a Spring branch Course East

53.00 a Ho. Ho. " E.

67.00 a Ho. Ho. " E.

68.00 line of Vincennes Road

74.40 a Beech 10 in. diam.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
 a Sugar tree 8 in. diam. bears N 3° E 21 lbs. dist. of
 a Ho. 8 " " " S 6° W 16 " "
 Land timber &c. Same as on the last mile

West On Rand^m. between Sec. 18 & 1940.00 Set temp^y. of Sec. post

80.08 Intersected W. boundary 25 lbs. N. of post

T¹⁵ N. R¹⁴ E. 2nd. Mer. Indiana
ch. lks.

Level good farming land, timber, Beech, Ash,
Oak, Poplar, Sugar tree &c.

East Corrected between Sec. 18 & 19

40.04 Set q. Sec. post at average dist. from which
an Ash 4 in. diam. bears S⁴W 13 lks. dist. of
a Beech 10 " " N 21 E 14 " "
80.08 to Sec. Corner.

North Between Sec. 17 & 18, T¹⁵ N. R¹⁴ E.

8.10 a Spring branch Course East
17.45 a Sugar tree 14 in. diam.
30.90 a Spring branch Course East
40.00 Set q. Sec. post, from which
a Beech 9 in. diam. bears N 77 E 19 lks. dist. of
a Ash 10 " " N 39 W 7 " "
69.30 a Hickory 12 " "
80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 20 in. diam. bears N 52 W 28 lks. dist. of
a Dogwood 5 " " S 75 E 15 " "
Uneven Good farming land, timber, Beech, Ash,
Oak, Poplar &c. March 23rd. 1811

West On Road^m. between Sec. 7 & 18

40.00 Set temp. q. Sec. post
72.40 a Spring branch Course S. W.
80.12 Intersected W. boundary 40 lks. N. of post
Level good farming land, timber Beech, Ash,
Oak, Elm, and Sugar tree.

East Corrected between Sec. 7 & 18

40.06 Set q. Sec. post at average dist. from which
a Sugar tree 9 in. diam. bears N 3 W 12 lks. dist. of
a Beech 11 " " S 51 W 21 " "
80.12 to Sec. Corner.

T15 N R14 E. 2nd. Mer Indiana

484

ch. l. lks.

North Between Sec. 7 & 8, T15 N. R14 E.

16.00 an Ash 20 in. diam.

40.00 Set of. Sec. post, from which
a Beech 15 in. diam. bear N 82 E 11 lks. dist. of
a Sugar 4 " " " West 15 " "

52.87 a Sugar 18 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 12 in. diam. bear N 16 W 29 lks. dist. of
a Sugar 6 " " " S 20 E 21 " "
Sand timber &c. same as on the last mile

West On Rand. between Sec. 6 & 7

33.00 a Spring branch Course S. W.

40.00 Set temp. of. Sec. post

80.10 intersected N. boundary 65 lks. N. of the post
Sand timber &c. same as on the last mile

East Corrected between Sec. 6 & 7

40.05 Set of. Sec. post at average dist. from which
a Beech 10 in. diam. bear N 57 E 8 lks. dist. of
a lvs. 30 " " " S 57 W 21 " "

80.10 to Sec. Corner

North Between Sec. 5 & 6 on Random

40.00 Set temp. of. Sec. post

79.25 intersected the N. boundary 15 lks. E. of post
Sand timber &c. same as on the last mile

South Corrected between Sec. 5 & 6

39.25 Set of. Sec. post, from which
a Beech 10 in. diam. bear S 51 E 21 lks. dist. of
a lvs. 14 " " " S 74 W 18 " "

79.25 to Sec. Corner March 24th. 1871

North Between Sec. 32 & 33

14.45 a Beech 18 in. diam.

T15 N R14 E 2^m. Mer. Indiana

ch. lks.

- 22.10 a Stream 150 lks. wide Course S30W
 40.00 At q. Sec. post, from which
 an Oak 40 in. diam. bear S43 E 23 lks. dist. of
 a Sugar 4 " " " S71 W 9 " "
 48.00 a Wet prairie N.E.
 60.00 across the prairie
 64.00 a Stream 8 lks. wide Course East
 72.20 a Sugar 17 lks. dist.
 80.00 At post Cor. to Sec. 28, 29, 32 & 33, from which
 a Beech 28 in. diam. bear N4 E 11 lks. dist. of
 a Hickory 8 " " " S37 E 32 " "
 Uneven good farming land, timber Beech, Ash,
 Sugar, Oak, Poplar &c.

West On Rand. between Sec. 29 & 32

- 18.75 a Stream 10 lks. wide Course S.E.
 40.00 At top of q. Sec. post
 79.00 a Stream 6 lks. wide Course S.E.
 79.90 Intersected the N of S. line at the post
 Very uneven Good farming land, timber Beech,
 Ash Sugar tree &c.

East Corrected between Sec. 29 & 32

- 39.95 At q. Sec. post at average dist. from which
 a Poplar 50 in. diam. bear S42 W 14 lks. dist. of
 a Beech 30 " " " N42 E 6 " "
 79.90 to Section Corner

East Between Sec. 28 & 33

- 12.17 a Beech 14 in. diam.
 20.00 Intersected the Boundary line, At post, from which
 a Buckeye 14 in. diam. bear N8 W 20 lks. dist. of
 an Oak 26 " " " S2 W 34 " "
 Some uneven Good farming land, timber Beech,
 Oak, Sugar tree &c.

T15 N R14 E. 2^d Mer. Indiana

Set. 6th.

North Between Sec^s. 28 & 29

17.82 a Sugar tree 18 in. diam.

40.00 Set of Sec. post, from which
a Beech 10 in. diam. bear S11W 20 lbs. dist. of
a Do. 6 " " " N89W 25 " "

62.80 a Sugar tree 10 in. diam.

80.00 Set post Cor. to Sec^s. 20, 21, 28 & 29, from which
a Beech 10 in. diam. bear S44E 17 lbs. dist. of
a Sugar 4 " " " N56W 11 " "
Sand timber &c. same as on the last mile

West On Rand^m. between Sec^s. 20 & 29

40.00 Set temp^y. of Sec. post

79.96 Intersected the N & S. line 10 lbs. N. of post
Sand timber &c. same as on the last mile

East On true line between Sec^s. 20 & 29

39.98 Set of Sec. post at average dist. from which
a Beech 12 in. diam. bear S81E 6 lbs. dist. of
a Do. 12 " " " S69W 39 " "

79.96 to Sec. Corner March 25th. 1811

East Between Sec^s. 21 & 28

16.40 a Sugar tree 12 in. diam.

36.50 Intersected the Boundary, set post, from which
an Ash 12 in. diam. bear South 3 lbs. dist. of
a Sugar 6 " " " N55W 30 " "
Level good farming land, timber Beech, Ash,
Elm, Sugar tree &c.

North Between Sec^s. 20 & 21

12.58 a Sugar tree 15 in. diam.

20.00 a Stream 10 lbs. wide Course S70E.

39.00 a Do. 4 " " " S.E.

40.00 Set of Sec. post, from which
a Beech 18 in. diam. bear N55W 26 lbs. dist. of

T5 N. P14 E. 2^d. Mer. Indiana

ch. lks.

- a Hickory 5 in. diam. bear S51 E 10 lks. dist.
 59.40 a Stream 6 lks. wide Course S. E.
 68.70 a Do. 12 " " " S30 E
 74.05 a Sugar 11 in. diam.
 80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 36 in. diam. bear N59 W 10 lks. dist. &
 a Do. 10 " " " N85 E 35 "
 polling good farming land timber, Beech,
 Ash, Poplar & Sugar tree

West On Rand^m. between Sec. 17 & 20

- 9.00 a Stream 12 lks. wide Course S. E.
 40.00 Set temp^y. q. Sec. post
 51.00 a Stream 5 lks. wide Course S. E.
 79.84 Intersected the N & S. line 5 lks. N. of post
 Land timber &c. same as on the last mile

East Corrected between Sec. 17 & 20

- 39.90 Set q. Sec. post at average dist. from which
 a Sugar 13 in. diam. bear N34 E 2 lks. dist. &
 a Do. 10 " " " S28 W 23 "
 79.84 to Sec. Corner.

East Between Sec. 16 & 21

- 9.00 a Stream 12 lks. wide Course S. E.
 16.40 a Beech 12 in. diam. "
 36.50 a Stream 8 lks. wide Course S. E.
 40.00 Set q. Sec. post, from which
 a Beech 16 in. diam. bear N40 E 13 lks. dist. &
 a Do. 13 " " " S77 W 24 "
 52.50 Intersected boundary line, Set post from which
 a Beech 6 in. diam. bear S70 W 18 lks. dist. &
 a Do 10 " " " N13 W 21 "
 Land timber &c. same as on the last mile

North Between Sec. 16 & 17

488

T5 N R14 E. 2^d Mer. Indiana

ch. lks

- 7.00 a Beech 18 in. diam.
 40.00 Set q. Sec. post, from which
 a Sugar 20 in. diam. bears N 82 E 20 lks. dist. &
 an Ash 5 " " " N 44 W 22 " "
 48.50 a Stream 5 lks. wide Course E.
 61.20 a Poplar 20 in. diam.
 77.25 a Stream 10 lks. wide Course E
 80.00 Set post Cor. to Sec. 8, 9, 16, 17, from which
 a Hickory 15 in. diam. bears N 88 E 32 lks. dist.
 a Beech 12 " " " N 39 W 27 " "
 Some uneven good farming land, timber
 Beech, Ash, Poplar, Sugar &c.
 March 26th 1811

- West On Rand^m between Sec. 8 & 17
 3.20 a Stream 12 lks. wide Course S 20 E
 40.00 Set temp. q. Sec. post
 79.80 Intersected the N & S. line 12 lks. N. of post
 Land some uneven, Good farming land, timber
 Beech, Ash, Oak, Poplar, Sugar &c.

- East Corrected between Sec. 8 & 17
 39.90 Set q. Sec. post at average dist. from which
 a Beech 10 in. diam. bears N 6 W 17 lks. dist. &
 a do. 13 " " " N 18 W 2 " "
 79.80 to Sec. Corner.

- East Between Sec. 9 & 16
 17.50 a Sugar tree 6 in. diam.
 40.00 Set q. Sec. post, from which
 a Buckeye 4 in. diam. bears South 13 lks. dist. &
 a Sugar tree 6 " " " N 10 W 19 " "
 51.00 a Beech 10 " " "
 68.40 Intersected Old Indian boundary line, and
 Set post from which
 a Sugar 4 in. diam. bears N 55 W 7 lks. dist. &

T¹⁵ N R¹⁴ E. 2nd Mer. Indiana
ch. lks.

to Sugar 5 in. diam. beam N 69 E 21 lks. dist.
Some uneven soil good, timber Beech,
Ash, Angartree &c.

North Between Sec. 8 & 9

20.00 a Angartree 10 in. diam.

40.00 Set q. Sec. post, from which
a Beech 15 in. diam. beam S 29 E 25 lks. dist. of
an Ironwood } " " " N 39 E 25 " "

62.40 a Hickory 15 " "

77.10 a Spring branch East

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Sugar 9 in. diam. beam S 53 W 17 lks. dist. of
a Beech 6 " " " S 12 E 21 " "
Sand timber &c. same as on the last mile

West On Rand^m. between Sec. 5 & 8

40.00 Set temp. q. Sec. post

79.85 Intersected the N & S. line 10 lks. N. of post
Level good farming land, timber Beech,
Ash, Elm, Angartree &c.

East Corrected between Sec. 5 & 8

39.92 Set q. Sec. post at average dist. from which
a Beech 6 in. diam. beam N 41 E 9 lks. dist. of
a Do. 30 " " " S 54 W 26 " "

79.85 to Sec. Corner.

North Between Sec. 4 & 5 on Rand^m.

16.55 a Stream 6 lks. wide Course E.

40.00 Set temp. q. Sec. post

58.75 a Spring branch Course E.

70.00 a Do. Do. " E.

79.20 Intersected the N. boundary 25 lks. E. of post
Very uneven soil good, Beech, Ash, Oak Poplar &c.

T15 N. R14 E. 2^d Mer. Indiana

490

ch. lks.

South On true line between Sec. 4 & 5

39.20 Set q. sec. post from which
a Butternut 20 in. diam. bear N17 W 10 lks. dist. of
a Sugar tree 14 " " " N37 E 14 " "
79.20 to Sec. Corner. March 27th 1811

South Between Sec. 3 & 4

17.40 a Sugar tree 14 in. diam.
20.50 a Stream 12 lks. wide Corner E.
40.00 Set q. sec. post, from which
a Beech 10 in. diam. bear N60 W 25 lks. dist. of
a Sugar 11 " " " S24 W 22 " "
67.90 a Stream 8 lks. wide, Corner E.
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 10 in. diam. bear N11 E 19 lks. dist. of
a Logw. 4 " " " S69 E 20 " "
Level good farming land, timber Beech,
Ash, Oak, Poplar & Sugar tree

West On Random between Sec. 4 & 9

40.00 Set temp. quarter section post
79.50 Intersected the N & S. line 70 lks. South of post
Some uneven Good farming land, timber Beech,
Ash, Elm, Oak, Sugar tree &c.

East Corrected between Sec. 4 & 9

39.75 Set q. sec. post at average dist. from which
a Beech 7 in. diam. bear N21 E 5 lks. dist. of
a Sugar 30 " " " S10 E 11 " "
79.50 to Section Corner.

East Between Sec. 3 & 10, T15 N. R14 E.

4.70 Intersected Boundary line Set post, from which
a Beech 18 in. diam. bear S25 W 20 lks. dist. of
a Water-Beech 3 " " " N5 W 9 " "

T15 N R14 E. 2nd Mer. Indiana

ch² lth.

South Between Sec. 9 & 10

11.50 a Spring branch Course East

14.70 a Beech 12 in. diam.

21.56 Intersected Boundary, set post, from which
a Beech 20 in. diam. bears N15W22 lth. dist. 6
a Dogw^o. 5 " " " S81W28 " "

Some uneven good farming land, timber
Beech, Ash, Poplar & Sugar tree

March 28th 1811

Surveyed By me

John G. Macan

Deputy Surveyor

I Certify that the foregoing transcript of field
notes of Township N^o 15 N, Range N^o 14 East of
2nd Principal Meridian, Indiana, has been
compared with the original field notes in this
Office, and found to be correct.

Surveyor General's Office

Detroit, July 23. 1845

Lucius Lyon,

Sur. Genl.